



Winnebago County Health Department



Weekly Influenza Surveillance Report CDC Week 13 March 27-April 2nd 2011

In Brief:

Mortality

Confirmed deaths from Pneumonia/Influenza Week 13: **1**
Percent of deaths due to Pneumonia/Influenza: **7.94%**
Baseline—**1.8%**, Epidemic—**7.9%**

School Attendance

Sentinel Attendance – All Schools – Week of 03/28 – 04/1: **No reporting due to Spring Break**

Influenza-Like Illness Surveillance

Sentinel Site ILI rate (average of 3 sites participating)—week ending April 2nd: **1.42%**

Pneumonia Hospital Admissions

Week Ending April 2nd: **32**
Previous Week Ending March 26th: **23**
Note: Numbers include 2 hospitals and are one week behind due to reporting methods.




Figure 1 displays the current number of rapid flu cases reported to our department for the 2010-2011 flu season (broken down by influenza sub-typing) compared to a 4-year historical average (the red line). Ending numbers for CDC Week 13 in Winnebago County show 2459 total positive rapid flu reported for this flu season. The historical average for Week 13 is currently 43.5 while our reported cases are only 19 total for this week.




Figure 2 displays the weekly percentage of ILI as identified by Essence. The blue line shows percentage of ILI Emergency Department visits in Winnebago County from our two participating hospitals and the red line shows the regional ILI percentage for all counties participating in the Essence Syndromic Surveillance System. As of CDC Week 13 Winnebago County and regional ILI rates are steadily decreasing. Our county is below the regional level for percentage ILI (Winnebago is at a rate of **0.63%** while the region overall was **1.37%** for Week 13).




Figure 3 is the representation of all visits from our sentinel sites not participating in Essence for Influenza-Like Illness, or ILI. The average among our three sentinel sites for ILI % for Week 13 of **1.44%**. The ILI percents from our three sentinel sites are on a steady decrease. Our weekly average is above seasonal baseline of 0.84% but below the epidemic threshold of 3.71%.




Figure 4 compares the current number of pneumonia hospital admissions (red line) against the 4-year historical average (the green line). The first 5 weeks of the year reported above the historical average and dropped slightly below the 4-year average in weeks 6. Weeks 7 –10 brought us back over the 4-year averages and weeks 11 and 12 came in below the historical average. For CDC Week 13 a total of 32 cases reported coming in above the 4-year historical average of 26.25. Numbers for weeks 11,12, and 13 for 2011 are still arriving.




Figure 5 shows school attendance to date in 2011. for the first 5 weeks of the year, school attendance was on a slight decrease for RPS District 205 but has held steadily above 90% for weeks 6-12. For CDC Week 13, the school were on Spring break so there is no new data to report.

Number of confirmed H1N1 influenza cases to date in Winnebago County (2011): 3 (IDPH)

Number of confirmed Novel H3N2 influenza cases to date in Winnebago County (2011): 5 (IDPH)

Number of confirmed Novel Influenza B cases for to date in Winnebago County (2011): 11 (IDPH)

Outside the County:

Illinois influenza activity (as of Week 13):

Sporadic

ILI Activity Level (Influenza like Illnesses reported)

Illinois is **MINIMAL** on the scale

United States influenza activity (as of Week 13):

Widespread activity in 3 States

Regional activity in 17 states

Local activity in Washington DC and 19 states

Sporadic activity in Puerto Rico and 11 states

Guam reported no Influenza Activity

The US Virgin Islands did not report



Questions/Comments?

Amanda Mehl, MPH
Epidemiologist
Health Promotion and Protection
Winnebago County
Health Department
401 Division Street
Rockford, IL 61104
815-720-4215



Public Health
Prevent. Promote. Protect.